lincat

SILVERLINK 600



BM7B - Lincat Silverlink 600 Electric Counter-top Bain Marie - Dry Heat -Gastronorms - Base + Dish Pack - W 750 mm -1.0 kW

The Silverlink 600 Electric Dry Heat Bain Marie safely holds sauces, soups, gravy and precooked foods for up to two hours at the ideal serving temperature

- Dry heat bain marie
- Ideal for holding foods for up to 2 hours at serving Ø temperature
- 3 x 1/6 plus 2 x 1/4 and 2x 1/2 150mm deep gastronorms with lids are included
- Plug and play for an easy installation
- Perfect for safely holding sauces, gravy & pre-cooked foods
- Adjustable temperature control

Specifications

Summary		Power and Performance	
Brand Range Power Type Unit Type Available in UK Only UK Warranty Export Warranty GTIN	Lincat Silverlink 600 Electric Counter-top No 2 Years Parts and Labour Warranty Contact your local dealer 5056105100560	Total Power kW IP Rating Temperature Control	1.00 IP33 Mechanical
Key Specifications		Capacity	
Pot Type Type of Heat	Gastronorm Dry	Gastronorm Capacity	2 x GN1/2; 2 x GN1/4; 3 x GN1/6
Weights and Dimensions		Supply Connections	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg	290 750 600 22.2	Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Single Phase Amps Single Phase Voltage	No Yes Yes No 1,000 4.3 230

Shipping

Packed Weight Kg	24.42
Packed Height cm	49.5
Packed Width cm	85.5
Packed Depth cm	70

Available Accessories			
CC7	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 750 mm		
CN7	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 750 mm		
HC7	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 750 mm - 0.5 kW		
HCL7	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 750 mm - 0.75 kW		
Product Code: BM7B	Page Number: 1	Print Date: 10/10/2023	

lincat


SILVERLINK 600


Available Accessories


SLS7

Lincat Silverlink 600 Free-standing Floor Stand - for units W 750 mm

Technical Picture









SILVERLINK 600

Lincat fift

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm