SILVERLINK 600



BM7W - Lincat Silverlink 600 Electric Counter-top Bain Marie - Wet Heat -Gastronorms - Base only -W 750 mm - 2.0 kW

The Silverlink 600 Electric Wet Heat Bain Marie safely holds sauces, soups, gravy and precooked foods for up to two hours at the ideal serving temperature

- Wet heat bain marie
- Ideal for holding foods for up to 2 hours at serving
- Base unit only supplied empty no gastronorms included
- This wet unit can also be used as a dry bain marie
- Plug and play for an easy installation
- Perfect for safely holding sauces, gravy & precooked foods
- Adjustable temperature control

Summary		Power and Performance	
-			
Brand -	Lincat	Total Power kW	2.00
Range	Silverlink 600	IP Rating	IP33
Power Type	Electric	Temperature Control	Mechanical
Unit Type	Counter-top		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105100621		
Key Specifications		Capacity	
Drain Location	Front-mounted	Gastronorm Capacity	3 x GN1/6; 6 x GN1/4
Pot Type	Gastronorm		
Type of Heat	Wet		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	290	Requires Installation	No
Unit Height (External) mm Unit Width (External) mm	290 750	Requires Installation Requires Electrical Supply	No Yes
• , ,		•	
Unit Width (External) mm	750	Requires Electrical Supply	Yes
Unit Width (External) mm Unit Depth (External) mm	750 600	Requires Electrical Supply UK 3 Pin Plug	Yes Yes
Unit Width (External) mm Unit Depth (External) mm	750 600	Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring	Yes Yes No

Available Accessories

Packed Width cm

Packed Depth cm

85.5

70

CC7	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 750 mm
CN7	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 750 mm
HC7	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 750 mm - 0.5 kW





Available Accessories


HCL7 Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 750 mm - 0.75 kW

SLS7 Lincat Silverlink 600 Free-standing Floor Stand - for units W 750 mm

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Print Date: 11/10/2023 Product Code: BM7W Page Number: 3