



CIBOPLUS/P - Lincat CiBO+ High Speed Oven -Purple

CiBO+ utilises a unique tri-heat technology. Microwave, TurboAir, and ContactBase, combined deliver unrivaled quality, speed, and consistency. Cooking in seconds, not minutes without compromise on the quality of food delivered.

- CiBO+ utilises a unique tri-heat technology.
 Microwave, TurboAir, and ContactBase, combined deliver unrivaled quality, speed, and consistency.
- TurboAir distributes high-speed airflow in a cylindrical pattern over the food for fast even colouration.
- Adjustable temperature control, rapid heat up, and direct cooking on the toughened neo ceram ContactBase delivers perfect base colouration and crispiness - there are no soggy bottoms with CiBO+!
- A rear launched microwave with a stirrer brings speed to the cooking process.
- Achieve the same high-quality results for every order. Simply press any one of the 40 menu items on the QPad touch screen and the oven will do the rest.

- Easily customise the position of menu items or recipe settings to suit your business with Touch & Change. Just touch what you want to change.
- 395mm x 665mm compact footprint with a generously sized oven. CiBO+ can fit anywhere yet still deliver a 12° pizza.
- No installation required plug- in and cook.
- Utilise non-traditional spaces with ventless technology.
- Antimicrobial protection reduces the spread of viruses on touchpoints.

Specifications

Power and Performance Summary Total Power kW Brand 3 Lincat Range Temperature Range °C 30-280 CiBO+ IP Rating Series CiBO+ IP23 Power Type Electric Cooking Area (Width x Depth) mm 340 x 340 Unit Type Counter-top **Temperature Control** Electronic Available in UK Only No Oven Rating kW 2.7 **UK Warranty** 2 Years Parts and Labour Warranty **Microwave Power Watts** Export Warranty Contact your local dealer GTIN 5056105123583 **Key Specifications** Capacity Heated Base Gastronorm Capacity GN2/3 Yes Pizza Capacity $1 \times 12'$ **Capacity Litres** 23 Weights and Dimensions **Supply Connections** Unit Height (External) mm **Requires Installation** 640 Νn **Requires Electrical Supply** Unit Width (External) mm 395 Yes UK 3 Pin Plug Unit Depth (External) mm 728 Yes Height (Internal) mm **Requires Hardwiring** 195 No Width (Internal) mm 340 **Electrical Supply Rating Watts** 3,000 Depth (Internal) mm Single Phase Amps 340 13 Net Weight Kg Single Phase Voltage 52 230

lincat




Shipping


Packed Weight Kg	65
Packed Height cm	87.5
Packed Width cm	50
Packed Depth cm	84

Available Accessorie	S
CIBO/ET	Multi-tray for CiBO Ovens
CIBO/TT	Teflon Tray for CiBO Ovens
LT02	Paddle for CiBO+ Ovens
LTH01	Magnetic Paddle Hanger for CiBO+ Ovens
NSBT23	Non-stick Baking Tray for CiBO+ Ovens
OC01	CiBO+ Sparkle Oven Cleaner
OS01	CiBO+ Protect Oven Shield
SH136	Wire Rack for Cibo Ovens
SK05	Moveable Stacking Stand, with front lock castors for CiBO+ Ovens
TFS05	Teflon Sheet for Cibo Ovens [300mm x 300mm]

Technical Picture

lincat





Lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm

Product Code: CIBOPLUS/P

