

TD522L32G0 - FriFri Touch 522 Electric Dropin Twin Tank Fryer - 2 Baskets - W 500 mm -11.4 + 7.5 kW

- 24 one touch icon driven menu items, meaning regardless of the operator, at one touch deliver precisely the same results every time.
- Are there more fries than last time? Adaptive cooking automatically adjusts the cooking times to suit your batch size ensuring you never serve undercooked food.
- The 4.3" OPad is intuitive, easy to use and provides the wider functionality that only a touch screen can deliver.
- Easy-View Traffic Light Status ColourCue. Great for busy and noisy kitchens, ColourCue shows you the status of your fryer at a glance: red - attention required such as unload; amber - pre-heating; green - ready to fry.
- Understand your energy usage. Customise the eco settings by temperature to suit your operation. View where you can make savings with detailed analysis of the fryer's energy usage over the last 8 hours, 24 hours, 7 days and 28 days.
- Keeping your oil in peak condition! FriFri Oil Assistant and optional xFri© to easily monitor the condition of oil with the onscreen oil status. When prompted filter the oil even while its still hot, mid service if necessary, and resume frying in under five minutes. It is so quick and easy there is no excuse not to!

For those who run the busiest professional kitchens and refuse to compromise on quality, a drop in Touch 522 is your newest kitchen assistant, helping you to deliver quality results every time.

louch

- Raising food to the next level. Perfect for kitchens where you don't have time for constant supervision, optional LiftFri® automatic basket lifting system lifts food at the end of the cycle to prevent overcooking.
- Optimum Allergy Control. Supplied with separate oil buckets, and can be supplied with separate pumped filtration systems, providing completely segregated gravity filtration for optimum allergen control or to cater for dietary preferences.
- Pressed tank for strength and durability.
 Radiused corners for easy cleaning. Hinged
 elements with two tilt positions for draining and
 cleaning.
- Data driven quality. For the ultimate repeatable results view your fryer usage data hours of operation coupled with the number of cook and filter cycles. For multi-site operations configure and clone your menu easily via USB.
- Consistency across sites. Ensure consistent, great quality results across multiple sites, easily via USB.
- Invest in the future of your business with a Touch fryer. With superior construction, an industry leading high output from minimal footprint, and with easy to apply USB software updates, Touch will ensure happy, satisfied customers for many years to come.

Specifications

Summary

- Brand Range Power Type Unit Type Available in UK Only UK Warranty Export Warranty GTIN
- FriFri Touch Electric Drop in No 2 Years Parts and Labour Warranty Contact your local dealer 5056105123040

Power and Performance

Total Power kW Temperature Range °C IP Rating Temperature Control 11.4 + 7.5 40-190 IPX4 Electronic

Touch

| Key Specifications | | Capacity | |
|--|---|--|---|
| Number of Baskets Number of Tanks Gravity Filtration Pumped Filtration Drain Location | 2 2 Yes No Through the body | Product Output per Hour Capacity Litres | 28.5kg + 18kg fries - 7mm [frozen] 1 x 12.5-14.5 + 1 x 7.5-9 |
| Weights and Dimensions | | Supply Connections | |
| Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg | 809 495 630 87 | Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watt Three Phase Amps Three Phase Voltage Number of Supply Cables | Yes Yes No Yes 11,400; 7,500 L1=16.5 + 10.9; L2=16.5 + 10.9; L3=16.5 + 10.9 400 2 |
| Shipping | | | |
| Packed Weight Kg Packed Height cm Packed Width cm Packed Depth cm | 70.29 72 107 80 | | |
| Available Options | | | |
| Oil Pump | | | |
| OP1 OP2 | | 1 Oil Pump 2 Oil Pumps | |
| Basket Lift | | | |
| OL1 | 1 B | sket Lift | |
| OL2 | 2 E | sket Lifts | |
| Baskets | | | |
| 522_2_BASKETS | | 2 Baske | ets |
| 522_3_BASKETS | | 3 Baske | ate |

Available Accessories

FZ301093

SMALL BASKET FOR 311 - COMPLETE WITH HANDLE

Lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm