



REQUIRED FOOTPRINT FOR THIS MODEL



REQUIRED HEADROOM FOR THIS MODEL



180mm REQUIRED AT BOTH **ENDS OF GREASETRAP FOR PIPEWORK AS SHOWN**

150mm REQUIRED AT TOP OF **GREASETRAP TO ALLOW FOR LID REMOVAL & CLEANING AS SHOWN**

| UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR 0 - 10 | | DEBUR AND BREAK ALL SHARP EDGES | | PROJECT: | | | |
|--|---------|---|-------------------|-----------------------------|----------------------|-----------------|-----|
| | | ALL DIMENSIONS TO OUTSIDE EDGES UNLESS STATED OTHERWISE | | TAYLORMADE GREASETRAP RANGE | | | |
| | | First Angle Projection | | TITLE: | | | |
| | | ======================================= | +++ | BIOTRAP-US-740 | | | |
| SAP | | | FINISH: | | DWG NO. | | |
| NAME | | DATE | SATIN | | KS175458 | | |
| DRAWN | tfrench | 12 Jul 2021 MATERIAL: | | | | | |
| APPV'D | | | 304\$\$ | | to down | anda | ۸.2 |
| PROJECT NUMBER PROJECT_02332 | | REVISION | SIZE / THICKNESS: | | taylormade.ie A3 | | |
| | | | IN/A | | GREASETRAP SOLUTIONS | | |
| ORDER | | | WEIGHT: 69.78 kg | g | SCALE:1:10 | 7000 1000 10 80 | |