




- Sub-counter unit type: Open
- Power load: 5 kW | 400 V | 50/60 Hz
- Equipment connection: 3 NAC
- Control lamp: Heat up  
ON/OFF
- Type: Upright unit
- Safety thermostat: Yes
- Number of heating zones: 1
- Material roasting surface: Steel
- Size heating surface: W 320 x D 445 mm
- Roasting surface design: Ribbed
- Including: -
- Operating mode: Electro
- Material: CNS 18/10
- Important information: -
- Height adjustable: 850 mm to 900 mm
- Height-adjustable feet: Yes
- Series: 700
- Size: W 400 x D 700 x H 850 mm
- Weight: 46 kg

## Griddle plate 700, W400, grooved

Add on Products

### Splash guard ser. 700, 400 mm

STAINLESS  
STEEL



- Storage grille: No
- Material: Stainless steel
- Important information: -
- Size: W 354 x D 470 x H 120 mm
- Weight: 2.9 kg

Code-No. 285071  
GTIN 4015613638263

### Sealing plug



- Colour: White
- Material: Plastic
- Important information: -
- Diameter: 60 mm
- Size: W 60 x D 60 x H 60 mm
- Weight: 0.3 kg

Code-No. 286099  
GTIN 4015613626802

### Door 700 40/80LR

CNS  
18/10



- Door hinge side can be changed: Yes
- Door hinge side: Left / right
- Material: CNS 18/10
- Important information: -
- Size: W 395 x D 80 x H 460 mm
- Weight: 3.4 kg

Code-No. 285050  
GTIN 4015613486604

### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078  
GTIN 4015613731926

### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head  
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium  
Exclusively available in Germany and Austria

Code-No. 173080  
GTIN 4015613731933