



▶ 4 hobs

- ✓ Gas burners: Ring burners
- ✓ Size of hobs: 330 x 300 mm
- ✓ Distribution of hobs: 2 x 3.5 kW, 2 x 6 kW



▶ Electrical oven

- ✓ GN 2/1



The gas oven series MFG – starter models for the professional field in a solid design made of stainless steel. Due to the intuitive operation with a pilot flame, they are ideally suited for everyday use in the kitchen.

- | | | | |
|---------------------------|--|-----------------------------|--------------------------|
| • Connected load oven: | 3.6 kW 400 V 2 NAC | • Number of drawers: | 3 |
| • Temperature range: | 100 °C to 300 °C | • Distance between trays: | 52 mm |
| • Frequency: | 50-60 Hz | • Material cooking chamber: | Stainless steel |
| • Large hobs: | 330 x 300 mm | • Oven volume: | 105 litre(s) |
| • Oven functions: | Upper / lower heat | • Oven properties: | - |
| • Oven type: | Electro | • Size: | W 800 x D 730 x H 910 mm |
| • Gastronorm: | 2/1 GN | • Weight: | 108.4 kg |
| • Size oven: | W 650 x D 580 x H 260 mm | | |
| • Vapour extractor: | Yes | | |
| • Multifunctional oven: | No | | |
| • Including: | 1 grille | | |
| • Ignition type: | Manual ignition | | |
| • Type: | Upright unit | | |
| • Height-adjustable feet: | Yes | | |
| • Number of hobs: | 4 | | |
| • Type of hobs: | Gas | | |
| • Properties: | Cast iron grille
Gas burner with ignition guard
Stainless steel handles | | |
| • Material: | Stainless steel | | |
| • Important information: | - | | |
| • Operating mode: | Electro / gas | | |
| • Pilot flame: | Yes | | |
| • Height adjustable: | 910 mm to 955 mm | | |
| • Power: | 19 kW | | |
| • Gas burner: | Single burner | | |
| • Series: | MFG | | |
| • Gas type: | Natural gas H (20 mbar)
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed | | |
| • Distribution of hobs: | 2 x 3.5 kW, 2 x 6 kW | | |

Gas stove MFG 7341

Add on Products

Tray 2/1GN, 20 mm

CNS
18/10



- Important information: -
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Depth container: 20 mm
- Gastronorm: 2/1 GN
- Material: CNS 18/10
- Content: 6,9 litre(s)
- Surface: Silk matt
- Norm: EN 631
- Series: Top Line

Code-No. A101181
GTIN 4015613271699

GN grid 2/1, SS

CNS
18/10

- Important information: -
- Gastronorm: 2/1 GN
- Material: CNS 18/10
- Norm: EN 631
- Series: Top Line
- Size: W 650 x D 530 x H 10 mm
- Weight: 1.93 kg

Code-No. A101092
GTIN 4016098175267

Cookware set T4

CNS
18/10



- Set comprises: 4 pots with a lid
Pot 1: contents 8 litres, Ø surface 24 cm, height 20 cm
Pot 2: contents 9 litres, Ø surface 26 cm, height 20.5 cm
Pot 3: contents 13 litres, Ø surface 28 cm, height 22.5 cm
Pot 4: contents 15 litres, Ø surface 30 cm, height 25 cm
- Handle properties: Cold handle(s)
- Induction-suitable: Yes

Code-No. A130441
GTIN 4015613403977

Cookware set T4P1

CNS



- Handle properties: Cold handle(s)
- Induction-suitable: Yes
- Material handle(s): Chrome-nickel steel
- With pouring rim: Yes
- Material: Chrome-nickel steel
- Important information: -
- Set comprises: 4 pots with a lid and 1 pan
Pot 1: contents 2 litres, Ø surface 16 cm, height 10 cm
Pot 2: contents 2.7 litres, Ø surface 18 cm, height 11 cm

Code-No. A130442
GTIN 4015613417158

Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 200 x D 300 x H 35 mm
- Weight: 0.23 kg

Code-No. A500510
GTIN 4015613735467

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 220 x D 370 x H 35 mm
- Weight: 0.28 kg

Code-No. A500511
GTIN 4015613735474

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 235 x D 420 x H 35 mm
- Weight: 0.36 kg

Code-No. A500512
GTIN 4015613735481

Oven gloves 600



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 600 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 230 x D 600 x H 35 mm
- Weight: 0.51 kg

Code-No. A500513
GTIN 4015613735498

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such as aluminium
Exclusively available in Germany and Austria

Code-No. 173080
GTIN 4015613731933

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078
GTIN 4015613731926

Frying pan 280A



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Roasting surface design: Non stick coating (Quan Tanium)
- Induction-suitable: Yes
- Inside diameter: 280 mm
- Diameter surface: 205 mm
- Pan height: 55 mm
- Material: Aluminium
Stainless steel
- Important information: -

Code-No. A150328
GTIN 4015613677965

Frying pan 300A



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Roasting surface design: Non stick coating (Quan Tanium)
- Induction-suitable: Yes
- Inside diameter: 300 mm
- Diameter surface: 230 mm
- Pan height: 55 mm
- Material: Aluminium
Stainless steel
- Important information: -

Code-No. A150330
GTIN 4015613677972


Thermometer A1020 KTP



- Control unit: -
- Puncture depth: 120 mm
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -20 °C to 102 °C
- Design: Analogue
- With temperature sensor: Yes
- Designed for: Core temperature measurements

Code-No. 292044
GTIN 4015613664293

Thermometer A250



- Important information: -
- Including: -
- Material: Stainless steel
Plastic
- Colour: White
Silver
- Design: Analogue
- With temperature sensor: No
- Temperature range: -40 °C to 25 °C
- Temperature measurement units: °C
°F

Code-No. 292043
GTIN 4015613664279